

Conforms to ANSI Z400.5-2004 Standard (United States).

Material Safety Data Sheet





1. Product and company identification

Product name : NuPrep™ Enhancement Solution

Material uses : Used as wash step to reduce debris in urine cytology preparations.

Supplier/Manufacturer : QC Sciences

4355 Innslake Drive, Glen Allen, VA 23060 Tel: +1-866-709-0523 Fax: +1-866-709-0522

Validation date : 02/29/2008

Responsible name : Atrion Regulatory Services, Inc.

In Case of emergency: 1-800-424-9300 Chemtrec USA

1-202-483-7616 Chemtrec International

1-800-635-4477

2. Hazards identification

Physical State : Liquid.

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Emergency overview: WARNING!

FLAMMABLE LIQUID AND VAPOR. HARMFUL IF INHALED OR SWALLOWED.

CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION. CONTAINS MATERIAL

THAT CAN CAUSE TARGET ORGAN DAMAGE.

Keep away from heat, sparks and flame. Avoid exposure - obtain special instructions before use. Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Keep container tightly closed and sealed until

ready for use. Wash thoroughly after handling.

Potential acute health effects

Inhalation : Harmful by inhalation. Irritating to respiratory system.

Ingestion : Harmful if swallowed.

Skin : Harmful if swallowed.

Eyes : Irritating to eyes.

Potential chronic health effects

Chronic effects : Contains material that can cause target organ damage.

Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Teratogenicity : No known significant effects or critical hazards.
 Developmental effects : No known significant effects or critical hazards.
 Fertility effects : No known significant effects or critical hazards.

Target organs : Contains material which causes damage to the following organs: gastrointestinal tract,

upper respiratory tract, skin, central nervous system (CNS), eye, lens or cornea, teeth.

Over-exposure signs/symptoms

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Ingestion : Adverse symptoms may include the following:

stomach pains

Date of Issue: 02/29/2008

Revised Date: 04/16/2012 Page: 1/9





2. Hazards identification

Skin : Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Eyes : Adverse symptoms may include the following:

pain watering redness.

Medical conditions aggravated by overexposure

: Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk

may be aggravated by over-exposure to this product.

See toxicological information (section 11)

3. Composition/information on ingredients

United States

 Name
 CAS number
 %

 Methanol
 67-56-1
 30 - 60

 Acetic acid
 64-19-7
 5 - 10

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

Eye Contact : Check for and remove any contact lenses. In case of contact with eyes, rinse immediately with plenty of water. Get medical attention.

Skin contact: In case of contact, immediately flush skin with plenty of water for at least 20 minutes. Get

medical attention.

Inhalation : If inhaled, remove to fresh air. If not breathing, give artificial respiration. Get medical

attention.

Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious person. Get

medical attention.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training. If it is

suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water

before removing it, or wear gloves.

Notes to physician : No specific treatment. Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

Date of Issue: 02/29/2008 **Revised Date:** 04/16/2012

Page: 2/9





5. Fire-fighting measures

Flammability of the product

: Flammable.

Extinguishing media

Suitable: Use dry chemical, CO₂, water spray (fog) or foam.

Not suitable : Do not use water jet.

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up

Small pill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

Date of Issue: 02/29/2008 **Revised Date**: 04/16/2012





7. Handling and storage

Handling

Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use non-sparking tools. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

United States

Product name

Exposure limits

Methanol

ACGIH TLV (United States, 1/2006). Skin

STEL: 328 mg/m³ 15 minute(s). TWA: 262 mg/m³ 8 hour(s).

NIOSH REL (United States, 12/2001). Skin

STEL: 325 mg/m³ 15 minute(s). TWA: 260 mg/m³ 10 hour(s). OSHA PEL (United States, 11/2006).

TWA: 260 mg/m³ 8 hour(s).

Acetic acid ACGIH TLV (United States, 1/2006).

STEL: 37 mg/m³ 15 minute(s). TWA: 25 mg/m³ 8 hour(s).

NIOSH REL (United States, 12/2001).

STEL: 37 mg/m³ 15 minute(s). TWA: 25 mg/m³ 10 hour(s). OSHA PEL (United States, 11/2006).

TWA: 25 mg/m³ 8 hour(s).

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures Engineering measures

- : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.
- : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Date of Issue: 02/29/2008 **Revised Date**: 04/16/2012

Page: 4/9





8. Exposure controls/personal protection

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Eyes : Safety glasses.

Skin : Synthetic apron.

Respiratory : Vapor respirator.

Hands : Natural rubber (latex).

Personal protective equipment (Pictograms)



HMIS Code/Personal

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Physical and chemical properties

Physical State

: Liquid.

Flash point

: Closed cup: 23 to 35°C (73.4 to 95°F) [Pensky-Martens.]

pH : 3.15

10. Stability and reactivity

Stability

: The product is stable.

Hazardous polymerization

: Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to avoid

: Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

Materials to avoid

: Reactive or incompatible with the following materials:

oxidizing materials

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Conditions of reactivity

: Highly flammable in the presence of the following materials or conditions: open flames, sparks and static discharge.

Flammable in the presence of the following materials or conditions: heat.

Date of Issue: 02/29/2008 **Revised Date**: 04/16/2012

Page: 5/9





11. Toxicological information

Acute toxicity

Product/ingredient name Species Dose Result Exposure

Methanol Rabbit 15800 mg/kg LD50 Dermal Rat 7529 mg/kg LD50 Intraperitoneal Rat 2131 mg/kg LD50 Intravenous Rat 5600 mg/kg LD50 Oral Acetic acid Rabbit 1060 uL/kg LD50 Dermal Rat 3310 mg/kg LD50 Oral

Inhalation : Harmful by inhalation. Irritating to respiratory system.

Ingestion: Harmful if swallowed.Skin: Irritating to skin.Eyes: Irritating to eyes.

Carcinogenicity

Classification

Product/ingredient name ACGIH IARC EPA NIOSH NTP OSHA
Methanol - - - None. - -

12. Ecological information

Environmental effects: No known significant effects or critical hazards...

Aquatic ecotoxicity Product/ingredient name **Test Species Exposure** Result Methanol **Behavior** Fish 48 hours Acute EC50 16000 mg/L Fish 48 hours Acute EC50 13200 mg/L **Behavior** Intoxication Daphnia 48 hours Acute EC50 >10000 mg/L Mortality Fish 96 hours Acute LC50 15400 mg/L Acute LC50 >100 mg/L Mortality Daphnia 96 hours Mortality Fish 96 hours Acute LC50 >100 mg/L Acetic acid Intoxication Daphnia 48 hours Acute EC50 65 mg/L Mortality Fish 96 hours Acute LC50 79 mg/L Mortality Fish 96 hours Acute LC50 75 mg/L Mortality Fish 96 hours Acute LC50 88 mg/L

13. Disposal considerations

Waste disposal

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any byproducts should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Date of Issue: 02/29/2008 Page: 6/9

Revised Date: 04/16/2012





14. Transport information

AERG : 131

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	UN1992	FLAMMABLE LIQUID, TOXIC, N.O.S. (Methanol)	3 (6.1)	III		-
IMDG Class	UN1992	FLAMMABLE LIQUID, TOXIC, N.O.S. (Methanol)	3 (6.1)	III		-
IATA-DGR Class	UN1992	FLAMMABLE LIQUID, TOXIC, N.O.S. (Methanol)	3 (6.1)	III		-
PG* : Packing group						

15. Regulatory information

United States

HCS Classification: Flammable liquid

Toxic material Irritating material Target organ effects

U.S. Federal regulations

United States inventory (TSCA 8b): All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No products were found.

SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: Methanol; Acetic acid

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Methanol: Fire hazard, Immediate (acute) health hazard, Delayed (chronic) health hazard; Acetic acid: Fire hazard, Immediate (acute) health hazard, Delayed (chronic)

health hazard

Clean Water Act (CWA) 307: No products were found.

Clean Water Act (CWA) 311: Acetic acid

Clean Air Act (CAA) 112 accidental release prevention: No products were found. Clean Air Act (CAA) 112 regulated flammable substances: No products were found. Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

Date of Issue: 02/29/2008 Revised Date: 04/16/2012 Page: 7/9





15. Regulatory information

SARA 313

Product name CAS number Concentration

Form R - Reporting requirements

: Methanol 67-56-1 30 - 60

Supplier notification :Methanol 67-56-1 30 - 60

SARA 313 notifications must not be detached from the MSDS and any copying and redistribution of the MSDS shall include copying and redistribution of the notice attached to copies of the MSDS subsequently redistributed.

State regulations : Connecticut Carcinogen Reporting: None of the components are listed.

Connecticut Hazardous Material Survey: None of the components are listed.

Florida substances: None of the components are listed.

Illinois Chemical Safety Act: None of the components are listed.

Illinois Toxic Substances Disclosure to Employee Act: None of the components are

listed.

Louisiana Reporting: None of the components are listed. **Louisiana Spill**: None of the components are listed.

Massachusetts Spill: None of the components are listed.

Massachusetts Substances: The following components are listed: Methanol;Acetic acid

Michigan Critical Material: None of the components are listed.

Minnesota Hazardous Substances: None of the components are listed.

New Jersey Hazardous Substances: The following components are listed:

Methanol; Acetic acid

New Jersey Spill: None of the components are listed.

New Jersey Toxic Catastrophe Prevention Act: None of the components are listed. New York Acutely Hazardous Substances: The following components are listed:

Methanol; Acetic acid

New York Toxic Chemical Release Reporting: None of the components are listed. **Pennsylvania RTK Hazardous Substances**: The following components are listed:

Methanol; Acetic acid

Rhode Island Hazardous Substances: None of the components are listed.

International regulations

International lists

: This product, (and its ingredients) is (are) listed on national inventories, or is (are) exempted from being listed, in Australia (AICS), in Europe (EINECS/ELINCS), in Korea (TCCL), in Japan (METI), in the Philippines (RA6969).

16. Other information

Label requirements

: FLAMMABLE LIQUID AND VAPOR. HARMFUL IF INHALED OR SWALLOWED. CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION. CONTAINS MATERIAL THAT CAN CAUSE TARGET ORGAN DAMAGE.

Hazardous Material Information System (U.S.A.)



Hazard Ratings
4 - Extreme
3 - Serious
2 - Moderate
1 - Slight
0 - Minimal

See section 8 for more detailed information on personal protection

Date of Issue: 02/29/2008 Revised Date: 04/16/2012 Page: 8/9





The customer is responsible for determining the PPE code for this material.

16. Other information

National Fire : Protection

Association (U.S.A.)

Health 2 Flammability
Instability
Special

References : ANSI Z400.5, MSDS Standard, 2004. - Manufacturer's Material Safety Data Sheet. -

29CFR Part1910.1200 OSHA MSDS Requirements. - 49CFR Table List of Hazardous

Materials, UN#, Proper Shipping Names, PG.

Date of issue : 02/29/2008

Version : 1

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of Issue: 02/29/2008 **Revised Date**: 04/16/2012

Page: 9/9